147

FOLIA PARASITOLOGICA

Volume 14
1967

Czechoslovak Academy
of Sciences

ACADEMIA • PRAHA

Editor B. ROSICKÝ

Assistant Editor J. ŠLAIS

Editorial Board

M. DANIEL
R. ERGENS
J. HOVORKA
O. JÍROVEC
J. KRAMÁŘ
M. MRCIAK
B. RYŠAVÝ
J. WEISER

Editorial Council

J. R. AUDY *(San Francisco)*
J. BABIČ *(Zagreb)*
P. C. BEAVER *(New Orleans)*
E. BIOCCA *(Roma)*
B. E. BYKHOVSKY *(Leningrad)*
A. G. CHABAUD *(Paris)*
J. M. DOBY *(Rennes)*
A. M. FALLIS *(Toronto)*
P. C. C. GARNHAM *(London)*
S. B. KENDALL *(Weybridge)*
A. KOTLÁN *(Budapest)*
N. D. LEVINE *(Urbana)*
G. LUPAȘCU *(București)*
A. P. MARKEVICH *(Kiev)*
W. MICHAJLOW *(Warszawa)*
P. PAVLOV *(Sofia)*
L. PELLÉRDY *(Budapest)*
P. A. PETRISHCHEVA *(Moscow)*
Z. PETROVIČ *(Beograd)*
F. PEUS *(Berlin)*
C. B. PHILIP *(Hamilton)*
G. PIEKARSKI *(Bonn)*
K. I. SKRJABIN *(Moscow)*
F. G. A. M. SMIT *(Tring)*
B. L. WATTAL *(Delhi)*

CONTENTS

Baruš V., Ryšavý B., Nematodes parasitic in the genus *Capromys (Rodentia)* from Cuba and the life cycle of *Pseudoheligmosomum howelli* (Pérez Vigueras, 1934) 335

Baruš V., del Valle M. T., Systematic survey of nematodes parasitizing bats (Chiroptera) in Cuba 121

Baruš V., Zajíček D., Parasitic nematodes of birds of the order Colymbiformes in Czechoslovakia 73

Černá Ž., The dynamics of antibody against *Eimeria tenella* under the fluorescent microscope 13

Černý V., Two new species of argasid ticks (Ixodoidea, Argasidae) from Cuba 141

Černý V., Dusbábek F., The argasid ticks (Ixodoidea) of Cuban bats 161

Červa L., Immunological studies on hartmannellid amoebae 19

Červa L., Intracerebral inoculation of experimental animals in pathogenetical studies of *Hartmannella castellanii* 171

Červa L., Intranasal, intrapulmonary and intracardial inoculation of experimental animals with *Hartmannella castellanii* 207

Dusbábek F., New species of the genus *Cameronieta* from Cuba (Acarina: Spinturnicidae). . . 149

Dusbábek F., To the knowledge of mites of the subfamily Nycteriglyphinae (Acarina: Rosensteiniidae) from Cuba 239

Dusbábek F., *Jamesonia*, a new genus (Acarina: Myobiidae) with seven new species from Cuban bats 247

Ergens R., Bykhovsky B. E., Revision of the species *Gyrodactylus nemachili* Bychowsky, 1936 (Monogenoidea) 225

Ergens R., Dulmaa A., Monogenoidea from the genus *Phoxinus* (Cyprinidae) from Mongolia 321

Kramář J., The fluorescent staining complement for the serodiagnosis of toxoplasmosis. . . . 5

Kubištová J., Seth D., Mikulíková L., A stable phospohorus compound in the body-wall muscle of *Ascaris lumbricoides* 97

Kučera K., Epidemiological significance of sporadic cases of pneumocystosis 43

Kulda J., Effect of different species of trichomonads on monkey kidney cell cultures 295

Otčenášek M., Dvořák J., Rosický B., Some epidemiological aspects of histoplasmosis in the light of Pavlovský's theory 193

Rosický B., The sixtieth birthday of Academician Otto Jírovec 1

Rosický B., Czechoslovak and Soviet parasitology: history, interrelations and work. 289

Rosický B., Dvořák J., Otčenášek M., The natural focality of adiaspiromycosis (adiasporosis) 35

Rosický B., Mrciak M., The concept of the acarinium and the acarinia zones. 349

Šlais J., The morphology of Cysticercus racemosus and the determination of the cysticercus species 27

Šlais J., The location of the parasites in muscle cysticercosis 217

Šlais J., Žďárská Z., Contribution to the histochemistry of the cuticle and cuticular structures of trematodes 311

Vojtek J., Opravilová V., Vojtková L., The importance of leeches in the life cycle of the order Strigeidida (Trematoda) 107

Short Communications

Baruš V., Redescription and synonymy of the species *Paracuaria tridentata* (Linstow, 1877) — Nematoda, Acuariidae 281

Bedrník P., Further development of the second generation of *Eimeria tenella* merozoites in tissue cultures 361

Černý V., Trois espèces nouvelles des Acariens plumicoles (Analgoidea) parasites des Procellariiformes 87

Daniel M., Černý V., To the methods of studying the environmental temperature of the tick *Ixodes ricinus* L.. 177

Ergens R., New species of the genus *Gyrodactylus* (Monogenoidea) from the Danube basin . . 377

Kesmiris D., A new effective flotation method for the collection of nidicolous parasites and other nest inhabitants 185
Lýsek H., Shape deviations in eggs of *Ascaris lumbricoides* 381
Moravec F., The systematic status of the genus *Sterliadochona* Skrjabin, 1946 (Nematoda: Rhabdochonidae) 371
Moucha J., Chvála M., Horse-flies (Diptera, Tabanidae) collected in the East Hindukush Mountains, Afghanistan 819
Prokopič J., *Hymenolepis muris-sylvatici* (Rudolphi, 1819) = *Variolepis crenata* (Goeze, 1782) 365
Ryšavý B., Coccidia from conga hutia — *Capromys pilorides* Say, 1822 93
Schanzel H., The use of Fe 59 for studying haemorrhage due to *Eimeria tenella* in chickens 269
Šebek Z., Rosický B., The finding of *Pneumocystis carinii* in shrews (Insectivora: Soricidae) 263
Világiová I., Results of experimental studies on the development of preinvasive stages of worms of the genus *Thelazia* Bosc., 1819 (Spirurata: Nematoda), parasitic in the eye of cattle 275

Notes 334, 364, 369, 379

Book Reviews 106, 120, 176, 183, 191, 216, 261, 268, 348

The News 287, 288, 320, 384